

Revision date : 2013/01/17 Page: 1/9
Version: 1.0 (30599293/SDS_CPA_US/EN)

1. Product and Company Identification

Company
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: 000000572578

Synonyms: Pyrethrins + Piperonyl Butoxide

2. Hazards Identification

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Moderately irritating to the eyes. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: yellow

Odour: slight odour, solvent-like

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation / corrosion:

May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

Sensitization:

Revision date: 2013/01/17 Page: 2/9 Version: 1.0 (30599293/SDS_CPA_US/EN)

Skin sensitizing effects were not observed in animal studies.

Signs and symptoms of overexposure:

Vomiting may cause aspiration pneumonia due to the ingredients.

3. Composition / Information on Ingredients

CAS Number
8003-34-7Content (W/W)
3.0 %Chemical name
Pyrethrins51-03-615.0 %Piperonylbutoxide64742-47-8Distillates (petroleum), hydrotreated light

> 75.0 % Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Treatment: Aspiration of this product during induced emesis can result in lung injury. If

evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

5. Fire-Fighting Measures

Flash point: > 85 °C (ASTM D56)
Lower explosion limit: not determined
Upper explosion limit: not determined

Flammability: not highly

flammable

Self-ignition temperature: not self-igniting

Suitable extinguishing media:

foam, dry powder, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide,

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Revision date : 2013/01/17 Page: 3/9

Version: 1.0 (30599293/SDS_CPA_US/EN)

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Pyrethrins OSHA PEL 5 mg/m3 ;

ACGIH TWA value 5 mg/m3;

Distillates (petroleum),

hydrotreated light ACGIH TWA value 200 mg/m3 Non-aerosol (total hydrocarbon

vapor);

Application restricted to conditions in which there are

negligible aerosol exposures.

Skin Designation Non-aerosol (total hydrocarbon vapor);

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: slight odour, solvent-like

Colour: yellow

pH value: 5.4 (23.1 °C)

Boiling point: > 93 °C

Revision date: 2013/01/17 Page: 5/9
Version: 1.0 (30599293/SDS_CPA_US/EN)

Density: 0.8416 g/cm3 (20 °C) 7.0235 Lb/USg (20 °C)

Viscosity, dynamic: 3.59 cps (22.5 °C) Solubility in water: miscible

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

strong oxidizing agents, acids, alkalies

Hazardous reactions:

The product is chemically stable.

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 2.06 mg/l Exposure time: 4 h

Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit

Result: moderately irritating

Eye:

Revision date : 2013/01/17 Page: 6/9
Version: 1.0 (30599293/SDS_CPA_US/EN)

Species: rabbit

Result: moderately irritating

Sensitization:

Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity

Information on: Piperonyl butoxide Assessment of repeated dose toxicity:

The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: Distillates (petroleum), hydrotreated light

Assessment of repeated dose toxicity:

Dermatitis The product has not been tested. The statement has been derived from substances/products of a

similar structure or composition.

Genetic toxicity

Information on: pyrethrum No mutagenic effects reported.

Information on: Piperonyl butoxide

Mutagenicity tests revealed no genotoxic potential.

Information on: Distillates (petroleum), hydrotreated light

The substance was not mutagenic in bacteria. The substance was not genotoxic in mammalian cell culture. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

,

Carcinogenicity

Information on: pyrethrum

Not Likely to Be Carcinogenic to Humans. Information on: Piperonyl butoxide

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. The US EPA has classified this substance with the rating of 'C', possible human carcinogen.

Reproductive toxicity

Information on: pyrethrum

No reproductive toxic effects reported. Information on: Piperonyl butoxide No reproductive toxic effects reported.

The results of animal studies gave no indication of a fertility impairing effect.

Development:

Information on: pyrethrum

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Piperonyl butoxide

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Distillates (petroleum), hydrotreated light

Revision date: 2013/01/17 Page: 7/9 Version: 1.0 (30599293/SDS_CPA_US/EN)

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

.....

12. Ecological Information

Fish

Information on: pyrethrum

Acute: static

Lepomis macrochirus/LC50 (96 h): 0.014 mg/l

Information on: piperonyl butoxide

Acute:

Lepomis macrochirus/LC50 (96 h): 5.37 mg/l

·

Aquatic invertebrates

Information on: pyrethrum

Acute.

Daphnia magna/EC50 (48 h): 0.013 mg/l

Information on: Piperonyl butoxide

Acute:

other Daphnia magna/EC50 (48 h): 0.51 mg/l

Aquatic plants

Information on: pyrethrum Toxicity to aquatic plants:

No data available concerning toxicity for algae.

Information on: piperonyl butoxide Toxicity to aquatic plants: green algae/EC50: 14.9 mg/l

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Revision date : 2013/01/17 Page: 8/9

Version: 1.0 (30599293/SDS_CPA_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed
Crop Protection TSCA, US released / exempt

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established; Combustible

Liquid

EPCRA 311/312 (Hazard categories): Acute; Chronic; Fire

EPCRA 313:

CAS Number
51-03-6Chemical name
Piperonylbutoxide

CERCLA RQ
1 LBSCAS Number
8003-34-7Chemical name
Pyrethrins

State regulations

State RTKCAS NumberChemical nameMA, NJ, PA8003-34-7Pyrethrins

MA, NJ, PA 64742-47-8 Distillates (petroleum), hydrotreated light

16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

MSDS Prepared on: 2013/01/17

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE

Revision date : 2013/01/17 Page: 9/9
Version: 1.0 (30599293/SDS_CPA_US/EN)

DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET